

Toni Preckwinkle
President, Cook County Board of Commissioners
John Jay Shannon, MD
Chief Executive Officer, Cook County Health

ADDENDUM NO. 1

August 14, 2019

Title: Interior and Exterior Wayfinding Signage Replacement at John H. Stroger Jr., Hospital

RFP # H19-0016

1. General

This addendum revises RFP documents. This addendum is issued to respondents of record prior to execution of contract, and forms a part of contract documents and modifies previously issued documents. Insofar as previously issued contract documents are inconsistent with modifications indicated by this addendum, modifications indicated by this addendum shall govern. Where any part of the contract documents are modified by this addendum, all unaltered provisions shall remain in effect.

2. Addendum Acknowledgement Form

Acknowledge receipt of this addendum in the space provided on the Addendum Acknowledgement Form. Proposers must include the signed form with their response. Failure to do so will subject Proposers to disqualification.

- 3. Changes and Clarifications
 - a. Responses to Vendor Questions are provided below.
- 4. Attachments
 - a. None

	Section of the RFP	Question	CCHHS Response
1		The majority of this RFP is for traditional signage, although throughout the RFP there are several mentions of digital signage and wayfinding. Would CCHHS allow a partial response directed toward the digital signage and wayfinding portion only of the RFP and not address the traditional signage?	CCH is looking for a comprehensive service to fully accommodate the needs outlined in the scope of work. CCH suggests considering a partnering arrangement with another contractor if necessary, to be able to meet the needs of the scope of work.
1			

ADDENDUM ACKNOWLEDGEMENT FORM

As required by the RFP, Proposers must submit this acknowledgement form with their response. One acknowledgement form per response, listing all addenda, is appropriate.

Addendum No.:		
Addendum No.:		
Company Name:	 	
Representative's Name:		_
Signature:	 	
Date:		

END OF ADDENDUM